

Declaration of Properties of the Council (EU) No. 305/2011

VD_14_2

1	Product type identification code	IZOMALT ST04	
2	Type number, charge	Charge number: see the product's packaging	
3	Purpose of use	Gluing and smoothening of thermal insulation for vertical structures TPD-PUR 30/40 Regular mortar for exterior/interior plaster (GP)	
4	Business title Producer contact address	NEW THERM ST04 Production cooperative "Slezska Horina", Hlavni 288/99A, 747 71, Brumovice	
5	Agent's contact address	As No. 4	
6	System for evaluation and verification of performance stability	System 3	
7	Notified body and certificate of conformity	Test protocol of the gluing and smoothening putty IZOMALT ST04 No. 050-021029. Supervision report pursuant to Section 5 of Gov. ordinance No. 163/2002 Coll., as amended by Governmental ordinance No. 312/2005, No. 050-021030 Authorised body 204 according to the decision of UNMZ No. 11/2013. Branch 0500 Predmerice nad Labem	
8	Declaration of performance in relation to the European technical evaluation (ETB)	Irrelevant	
9	Defined performance		
	Important indicators	Performance	Harmonised techn. specification
	Reaction to fire	A1	EN 13501-1+A1:2009
	Adhesion to insulant, to concrete	≥0,08 N/mm ² , ≥0,25 N/mm ²	EN 998-1:2010
	Water absorption	W 1	EN 998-1:2010
	Vapour permeability	μ ≤ 20	EN 998-1:2010
	Thermal conductance	λ = 0.57 W/m.K (table value)	EN 998-1:2010
	Frost resistance	15 cycles	EN 998-1:2010
	Compressive strenght	≥ 3,5 N/mm ²	EN 998-1:2010
10	<p>The performance of the product corresponds with the declaration of performance according to number 9. Responsible for the issuing of this declaration of performance is the stated manufacturer according to number 4. Signature for the producer and on behalf of the manufacturer:</p> <p>(name and position): Ing. Bretislav Mura Vice-Chairman of the Board of Directors</p> <p>(place and date of issuing) (signature): Brumovice December 2015</p> 		